




**VOLA T10, T10JR**


Fitting instruction  
 Montageanleitung  
 Monteringsvejledning  
 Monteringsvægledning  
 Montage hanleiding  
 Manuel de montage



**T10: 0.50 liter**




**T10JR: 0.25 liter**



Liquid soap    Cremetvål  
 Cremeseife    Crème zeep  
 Cremesæbe    Savon crème

pH Neutral:  
 pH Neutral:  
 pH Neutral:    4.5 - 7.5  
 pH Neutral:  
 pH Neutraal:  
 pH Neutre:

Viscosity:  
 Viskosität:  
 Viskositet:    ca. 1500 - 2000 cP/mPa s - 20°C  
 Viskositet:  
 Viscositeit:  
 Viscosité:



Operating  
Bedienung  
Betjening

Bruk  
Bedienung  
Emploi




VR755 & VR777  
Service





Maintenance  
Pflege  
Vedligeholdelse


Skötsel  
Verpleging  
Entretien




Max 70°C  
Max 158°F



777





755



T10

T10JR



VR728: VR728, VR782, VR797



vola  
 Lunavej 2  
 DK-8700 Horsens  
 Tlf : + 45 7023 5500  
 Fax: + 45 7023 5511  
 sales@vola.com  
 www.vola.com

# VOLA T10, T10JR

Date  
Jun. 17

Rev.  
6

Sheet  
SB 42